



Free Pattern To Print

The following is a free pattern for you provided by us at Mary Maxim.



Aran Pullover

Sizes 4, 6, 8, 10, 32-34, 36-38, 40-42, 44-46

Materials:

Of Mary Maxim Starlette Aran Irish Twist Knitting Worsted Weight Yarn,
100 gm skein (190 yds) allow:

Sizes 4, 6 requires 6 Skeins

Sizes 8, 10 requires 7 Skeins

Sizes 32-38 requires 9 Skeins

Size 40-42 requires 10 Skeins

Size 44-46 requires 11 Skeins

American: One pair each American Gauge Knitting Needles size 5 and size 7.

Canadian: One pair each Canadian Gauge Knitting Needles size 9 and size 7.

Metric: One pair each Metric Gauge Knitting Needles size 3.75 and size 4.50.

TO SAVE TIME, TAKE TIME TO CHECK GAUGE

Gauge or Tension: 19 sts and 25 rows to 4 inches [10 cm] measured over Stockinette stitch using suggested larger needles or any size which will give the correct stitch gauge or tension.

Abbreviations: K, knit; p, purl; sts, stitches; rep, repeat; rem, remain or remaining; inc, increase; dec, decrease; beg, begin or beginning; sl, slip; pssso, pass slipped stitch over knit stitch; tog, together; cm, centimeters.

Additional Abbreviations: C4B, Cable 4 Back: Slip next 2 sts onto a cable needle and leave at back of work, k 2, then k 2 from cable needle.

C4F, Cable 4 Front: Slip next 2 sts onto a cable needle and leave at front of work, k 2, then k 2 from cable needle.

Cr3R, Cross 3 Right: Slip next st onto a cable needle and leave at back of work, k 2, then p 1 from cable needle.

Cr3L, Cross 3 Left: Slip next 2 sts onto a cable needle and leave at front of work, p 1, then k 2 from cable needle.

C4BPK, Cable 4 Back-Purl-Knit: Slip next 2 sts onto a cable needle and leave at back of work, k 2, then p1, k 1 from cable needle.

C4FKP, Cable 4 Front-Knit-Purl: Slip next 2 sts onto a cable needle and leave at front of work, k 1, p 1, then k 2 from cable needle.

Please follow washing instructions printed on yarn label. Turn garment inside out before washing.

Panel Pattern: (worked over 19 sts).

Row 1: (Right side) P 5, C4B, p 1, C4F, p 5.

Row 2 and every alternate row: K all k sts and p all p sts as they appear.

Row 3: P 5, k 4, p 1, k 4, p 5.

Row 5: P5, C4BPK, p 1, C4FKP, p 5.

Row 7: P 4, Cr3R, [k 1, p 1] twice, k 1, Cr3L, p 4.

Row 9: P 3, Cr3R, [k 1, p 1] 3 times, k 1, Cr3L, p 3.

Row 11: P 2, Cr3R, [k 1, p 1] 4 times, k 1, Cr3L, p 2.

Row 13: P 1, Cr3R, [k 1, p 1] 5 times, k 1, Cr3L, p 1.

Row 15: P 1, Cr3L, [p 1, k 1] 5 times, p 1, Cr3R, p 1.

Row 17: P 2, Cr3L, [p 1, k 1] 4 times, p 1, Cr3R, p 2.

Row 19: P 3, Cr3L, [p 1, k 1] 3 times, p 1, Cr3R, p 3.

Row 21: P 4, Cr3L, [p 1, k 1] twice, p 1, Cr3R, p 4.

Row 23: P 5, C4F, p 1, C4B, p 5.

Row 25: P 5, C4B, p 1, C4F, p 5.

Row 27: P 5, k 4, p 1, k 4, p 5.

Row 28: Same as row 2.

These 28 rows form panel pattern.

Aran Pullover

Sizes 4, 6, 8, 10

Measurements:

Finished Chest Measurement: 28(30, 34, 36) inches [71(76, 86.5, 91.5)cm]

Length from Back Neck: 16 1/2(18, 19 1/4, 21 1/4) inches [42(46, 49, 51.5)cm]

Sleeve Seam: 10 1/2(12, 13 1/2, 15) inches [26.5(30.5, 34.5, 38) cm]

Back: Using smaller needles, cast on 57(63, 69, 77) sts.

Row 1: (Right side) K 1, *p 1, k 1; rep from * to end.

Row 2: P 1, *k 1, p 1; rep from * to end.

Rep these 2 rows for 2 inches [5 cm], ending after a row 2 and inc 14(14, 32, 28) sts evenly spaced across last rib row-71(77, 101, 105) sts.

Change to larger needles and work in pattern as follows:

Row 1 (Right Side): K 0(1, 0, 0), [p 1, k 1] 10(11, 5, 6) times, [C4B, k 2, work row 1 of panel pattern] 1(1, 3, 3) times, C4B, k 2, [k 1, p 1] 10(11, 5, 6) times, k 0(1, 0, 0).

Row 2: K the k sts and p the p sts as they appear.

Row 3: P 0(1, 0, 0), [k 1, p 1] 10(11, 5, 6) times, [k 2, C4F, work 3rd row of panel pattern] 1(1, 3, 3) times, k 2, C4F, [p 1, k 1] 10(11, 5, 6) times, p 0(1, 0, 0).

Row 4: Same as row 2.

These 4 rows form pattern.

Continue in pattern as set, work rows of panel pattern in order until work measures 9 1/2(10 1/2, 11 1/2, 12 1/2) inches 24(26.5, 29.5, 31.5)cm] from beg, ending after a wrong side row.

To Shape Raglan Armholes: Keeping continuity of pattern, cast off 3 sts at beg of next 2 rows.

Row 3: K 2, sl 1 knitwise, k 1, pssso, work in pattern to last 4 sts, k 2 tog, k 2.

Row 4: P 3, pattern to last 3 sts, p 3.

Sizes 4 and 6 only: Row 5: K 3, pattern to last 3 sts, k 3.

Row 6: P 3, pattern to last 3 sts, p 3. Rep last 4 rows 3(1) times more-57(67) sts.

All Sizes: Rep Rows 3 and 4 until you have 31(31, 65, 63) sts rem, ending after a wrong side row.

Sizes 8 and 10 only: Next Row: K 2, sl 1 knitwise, k 2 tog, pssso, pattern to last 5 sts, k 3 tog, k 2.

Next Row: P 3, pattern to last 3 sts, p 3. Rep last 2 rows until you have 33(35) sts, ending after a wrong side row.

Cast off for all sizes.

Front: Work as for back until you have 45(47, 65, 65) sts rem in raglan shaping, ending after a wrong side row.

Sizes 4 and 6 only: Neck Shaping: Next Row: K 2, sl 1 knitwise, k 1, pssso, pattern 11(12) sts, turn. Neck edge. Leave rem sts on a spare needle.

Size 8 only: Neck Shaping: Next Row: K 2, slip 1 knitwise, k 2 tog, pssso, pattern across 19 sts, turn. Neck edge. Leave rem sts on a spare needle.

Size 10: Neck Shaping: Next Row: K 2, slip 1 knitwise, k 1, pssso, pattern across 20 sts, turn. Neck edge. Leave rem sts on a spare needle.

Next Row: Work 2 tog, pattern to last 3 sts, p 3.

Next Row: K 2, slip 1 knitwise, k 2 tog, pssso, pattern to last 2 sts, work 2 tog-19 sts.

All Sizes: Dec one st at neck edge on each of next 5(5, 5, 4) rows and **at the same time**, dec at raglan edge as before until you have 3 sts rem. Work 1 row even, thus ending after a wrong side row.

Next Row: Slip 1 knitwise, k 2 tog, pssso. Break yarn and fasten off.

Sizes 4 and 6 only: With right side facing, join yarn to rem sts, cast off next 15 sts, work in pattern to last 4 sts, k 2 tog, k 2-14(15) sts.

Size 8 only: With right side facing, join yarn to rem sts. Cast off 17 sts, work in pattern to last 5 sts, k 3 tog, k 2-22 sts.

Size 10 only: With right side facing, join yarn to rem sts, cast off 17 sts, work in pattern to last 4 sts, k 2 tog, k 2-23 sts.

Next Row: P 3, work in pattern to last 2 sts, work 2 tog.

Next Row: Work 2 tog, work in pattern to last 5 sts, k 3 tog, k 2-19 sts.

All Sizes: Dec one st at neck edge on next 5(5, 5, 4) rows and **at the same time**, at raglan edge as before until you have 3 sts rem. Work 1 row even, thus ending after a wrong side row.

Next Row: K 3 tog. Break yarn and fasten off.

Sleeves: Using smaller needles, cast on 37(39, 39, 41) sts and work in ribbing as for back, ending after a row 2 and inc 14(14, 14, 16) sts evenly spaced across last rib row-51(53, 53, 57) sts. Change to larger needles and work in pattern as follows:

Row 1: (Right side): K 0(1, 1, 1) sts, [p 1, k 1] 5(5, 5, 6) times, C4B, k 2, work row 1 of panel pattern, C4B, k 2, [k 1, p 1] 5(5, 5, 6) times, k 0(1, 1, 1).

Row 2: Knit all k sts and purl all p sts as they appear.

Row 3: P 0(1, 1, 1), [k 1, p 1] 5(5, 5, 6) times, k 2, C4F, work Row 3 of panel pattern, k 2, C4F, [p 1, k 1] 5(5, 5, 6) times, p 0(1, 1, 1).

Row 4: Same as row 2.

These 4 rows form pattern. Panel pattern is now in position. Continue in pattern working rows of panel pattern in order and inc 1 st at each of row on next and following 10th(10th, 8th, 10th) row until you have 61(65, 69, 73) sts on needle, taking inc sts into pattern as they become available.

Continue in pattern as set until work measures 10 1/2(12, 13 1/2, 15) inches [26.5(30.5, 34.5, 38) cm] from beg, ending after a wrong side row.

Raglan Shaping: Keeping continuity of pattern, cast off 3 sts at beg of next 2 rows.

Next Row: K 2, slip 1 knitwise, k 1, pss0, pattern to last 4 sts, k 2 tog, k 2.

Next Row: P 3, pattern to last 3 sts, p 3. Rep last 2 rows until you have 19(23, 27, 25) sts rem, ending after a wrong side row.

Next Row: K 2, slip 1 knitwise, k 2 tog, pss0, pattern to last 5 sts, k 3 tog, k 2.

Next Row: P 3, pattern to last 3 sts, p 3. Rep the last 2 rows until you have 7(7, 7, 9) sts, ending after a wrong side row. Cast off rem sts.

Sew raglan seams, leaving left back raglan seam open.

Neckband: With right side facing and using smaller needles, pick up and k 5 sts across left sleeve, 14(16, 16, 16) sts down left neck front edge, 12(12, 12, 14) sts across center front neck, 14(16, 16, 16) sts up right front neck edge, 5 sts across right sleeve and 23(23, 25, 27) sts across back neck edge-73(77, 79, 83) sts. Beg with a row 2 of ribbing as for back, work 2 inches [5 cm] in ribbing. Cast off loosely ribwise.

To Complete: Sew left back raglan and neckband seam. Sew side and sleeve seams. Fold neckband in half to inside and stitch loosely in position along bottom of neckband.

Aran Pullover

Sizes 32-34, 36-38, 40-42, 44-46

Measurements:

Finished Chest Measurement: 41 1/2(48, 52, 56) inches [105.5(122, 132, 142.5)cm]

Length from Back Neck: 25 1/4(27 1/2, 28 1/2, 29) inches [64(70, 72.5, 73.5)cm]

Sleeve Seam: 17(18, 18 1/2, 19) inches [43(46, 47, 48)cm]

Back: Using smaller needles, cast on 83(95, 105, 113) sts.

Row 1: (Right side) K 1, *p 1, k 1; rep from * to end.

Row 2: P 1, *k 1, p 1; rep from * to end.

Rep these 2 rows for 3 inches [7.5 cm], ending after a row 2 and inc 52(54,

52, 56) sts evenly spaced across last row-135(149, 157, 169) sts.

Change to larger needles and work in pattern as follows:

Row 1: (Right Side): K 0(1, 1, 1), [p 1, k 1] 1(4, 6, 9) times, [C4B, k 2, work row 1 of panel pattern] 5 times, C4B, k 2, [k 1, p 1] 1(4, 6, 9) times, k 0(1, 1, 1).

Row 2: K the k sts and p the p sts as they appear.

Row 3: P 0(1, 1, 1), [k 1, p 1] 1(4, 6, 9) times, [k 2, C4F, work 3rd row of panel pattern] 5 times, k 2, C4F, [p 1, k 1] 1(4, 6, 9) times, p 0(1, 1, 1).

Row 4: Same as row 2.

These 4 rows form pattern. Panel pattern is now in position.

Continue in pattern, working panel pattern in order until work measures 15(16, 16, 16 1/2) inches [38(40.5, 40.5, 42)cm] from beg, ending after a wrong side row.

To Shape Raglan Armholes: Keeping continuity of pattern, cast off 3 sts at beg of next 2 rows.

Row 3: K 2, sl 1 knitwise, k 1, pssso, work in pattern to last 4 sts, k 2 tog, k 2.

Row 4: P 3, pattern to last 3 sts, p 3.

Rep rows 3 and 4 until you have 93(103, 103, 125) sts rem, ending after a wrong side row.

Next Row: K 2, slip 1 knitwise, k 2 tog, pssso, pattern to last 5 sts, k 3 tog, k 2.

Next Row: P 3, pattern to last 3 sts, p 3.

Rep last 2 rows until you have 41(43, 47, 49) sts rem, ending after a wrong side row. Cast off.

Front: Work as for back until you have 77(87, 91, 97) sts rem in raglan shaping, ending after a wrong side row.

Neck Shaping: Next Row: K 2, sl 1 knitwise, k 2 tog, pssso, pattern 23(28, 29, 32) sts, turn. Leave rem sts on a spare needle.

Dec one st at neck edge on each of next 7(8, 9, 10) rows and **at the same time**, dec 2 sts as before at raglan edge until you have 3 sts. Work 1 row even, thus ending after a wrong side row.

Next Row: Slip 1 knitwise, k 2 tog, pssso. Break yarn and fasten off.

With right side facing, join yarn to rem sts, cast off 21(21, 23, 23) sts, work in pattern to last 5 sts, k 3 tog, k 2-26(31, 32, 35) sts.

Dec one st at neck edge on next 7(8, 9, 10) rows and **at the same time**, dec 2 as before until you have 3 sts. Work 1 row even, thus ending after a wrong side row.

Next Row: K 3 tog. Break yarn and fasten off.

Sleeves: Using smaller needles, cast on 45(49, 51, 51) sts and work in

ribbing as for back, ending after a row 2 and inc 18 sts evenly spaced across last rib row-63(67, 69, 69) sts. Change to larger needles and work in pattern as follows:

Row 1: (Right side): K 0(0, 1, 1) sts, [p 1, k 1] 8(9, 9, 9) times, C4B, k 2, work row 1 of panel pattern, C4B, k 2, [k 1, p 1] 8(9, 9, 9) times, k 0(0, 1, 1).

Row 2: Knit all k st s and p all p sts as they appear.

Row 3: P 0(0, 1, 1), [k 1, p 1] 8(9, 9, 9) times, k 2, C4F, work row 3 of panel pattern, k 2, C4F, [p 1, k 1] 8(9, 9, 9)times, p 0(0, 1, 1).

Row 4: Same as row 2.

These 4 rows form pattern.

Continue in pattern working rows of panel pattern in order and inc 1 st at each end of next row and following 8th(6th, 6th, 4th) row until you have 83(77, 91, 83) sts on needle, taking inc sts into pattern as they become available.

Sizes 36-38, 40-42, 44-46 only: Inc one st at each end of the following (8th, 8th, 6th) rows until you have (91, 97, 103) sts, taking inc sts into pattern as they become available.

All Sizes: Continue in pattern as set until work measures 17(18, 18 1/2, 19) inches [43(46, 47, 48) cm] from beg, ending after a wrong side row.

Raglan Shaping: Keeping continuity of pattern, cast off 3 sts at beg of next 2 rows.

Next Row: K 2, slip 1 knitwise, k 1, pssso, pattern to last 4 sts, k 2 tog, k 2.

Next Row: P 3, pattern to last 3 sts, p 3. Rep last 2 rows until you have 21(21, 21, 33) sts, ending after a wrong side row.

Next Row: K 2, slip 1 knitwise, k 2 tog, pssso, pattern to last 5 sts, k 3 tog, k 2.

Next Row: P 3, pattern to last 3 sts, p 3. Rep the last 2 rows until you have 9 sts rem, ending after a wrong side row. Cast off rem sts.

Sew raglan seams, leaving left back raglan seam open.

Neckband: With right side facing and using smaller needles, pick up and k 7 sts across left sleeve, 18(22, 22, 24) sts down left front neck front edge, 14(16, 16, 16) sts across center front neck, 18(22, 22, 24) sts up right front neck edge, 7 sts across right sleeve and 31(33, 35, 37) sts across back neck edge-95(107, 109, 115) sts. Beg with a row 2 of ribbing as for back, work 3 inches [7.5 cm] in ribbing.

Cast off loosely ribwise.

To Complete: Sew left back raglan and neckband seam. Sew side and sleeve seams. Fold neckband in half to inside and stitch loosely in position

along bottom of neckband.

Copyright by Mary Maxim.
