



Free Pattern To Print

The following is a free pattern for you provided by us at Mary Maxim.



Textured Vest, Coat or Jacket

Sizes: 30-32, 34-36, 38-40, 42-44, 46-48

Materials: Of Mary Maxim Bulky Weight Yarn, 85 gm ball (80 yds)

Sizes 30-36

Vest - 8 skeins

Coat - 17 skeins

Jacket - 14 skeins

Sizes 38-48

Vest - 10 skeins

Coat - 19 skeins

Jacket - 17 skeins

Faux Fur

One pair knitting needles size 5.00 mm (Canadian size 6, American size 8)

One pair knitting needles size 6.50 mm (Canadian size 4, American size 10 1/2)

Measurements:

Finished Bust Measurement for all: 38 1/4(42 3/4, 46 1/4, 50, 55) inches
[97(108.5, 117.5, 127, 140) cm]

Vest only

Length from Shoulder: 22(22, 24, 24, 24) inches [56(56, 61, 61, 61) cm]

Jacket only

Length from Shoulder: 26(26, 28, 28, 28) inches [66(66, 71, 71, 71) cm]

Coat only

Length from Shoulder: 30(30, 32, 32, 32) inches [76(76, 81, 81, 81) cm]

Jacket and Coat only

Sleeve Length: 19(19, 20, 20, 20) inches [48(48, 51, 51, 51) cm]

Please follow washing and drying instructions printed on the yarn label.

EVERY EFFORT HAS BEEN MADE TO HAVE THE DIRECTIONS CONTAINED IN THIS PATTERN ACCURATE AND COMPLETE; HOWEVER, WE CANNOT BE RESPONSIBLE FOR MISINTERPRETATION, VARIANCE OR ERRORS IN WORKMANSHIP OF THE INDIVIDUAL.

Reproduction of this pattern in any form (including photostat) is protected by copyright. Any infringement will lead to prosecution.

Abbreviations: K, knit; p, purl; st, stitch; sts, stitches; beg, begin or beginning; dec, decrease or decreasing; inc, increase or increasing; rem, remain or remaining; rep, repeat; yds, yards; gm, grams; mm, millimeters; cm, centimeters; m, meters; RS, right side; WS, wrong side; yo, yarn over needle; tog, together.

Note: The Faux Fur is not machine washable. Therefore when attaching to sweater of choice, you may wish to use snaps or velcro to remove the fur easily before washing. The sweaters shown in catalogue are all sewn in place by hand. This is the most secure way of attaching the fur and can be removed before washing but with a little more work.

TO SAVE TIME, TAKE TIME TO CHECK GAUGE

Gauge or Tension: 13 sts and 21 rows to 4 inches [10 cm], measured over pattern using **suggested** needles or any size needles which will give the correct stitch gauge or tension.

All Versions

Back: Cast on 61(69, 75, 81, 89) sts and work in pattern as follows:

Row 1: (RS) K4(4, 3, 2, 2), p5, *k3, p5; rep from * to last 4(4, 3, 2, 2) sts, k to end.

Row 2: Purl.

Repeat these 2 rows 5 times more.

Row 13: P5(5, 4, 3, 3), k3, *p5, k3; rep from * to last 5(5, 4, 3, 3), p to end.

Row 14: Purl.

Repeat the last 2 rows twice more.

Now repeat Rows 1 and 2 until piece measures

for Vest - 12(12, 13, 13, 13) inches [30.5(30.5, 33, 33, 33) cm]

for Jacket - 16(16, 17, 17, 17) inches [40.5(40.5, 43, 43, 43) cm]

for Coat - 20(20, 21, 21, 21) inches [51(51, 53.5, 53.5, 53.5) cm]

from beg, ending after a wrong side row.

To Shape Armholes: Place a marker at each end of next row. Keeping pattern correct as set, dec one st at each end of the next row, then every row following 5 times more - 49(57, 63, 69, 77) sts rem. Continue in pattern until piece measures

for Vest - 21(21, 23, 23, 23) inches [53(53, 58.5, 58.5, 58.5) cm]

for Jacket - 25(25, 27, 27, 27) inches [63.5(63.5, 68.5, 68.5, 68.5) cm]

for Coat - 29(29, 31, 31, 31) inches [74, 74, 79, 79, 79) cm]

from beg, ending after a wrong side row.

To Shape Neck: Next Row: Work in pattern over first 14(17, 20, 21, 25) sts, slip center 21(23, 23, 27, 27) sts on st holder for back neck, join another ball of yarn to rem sts and work in pattern to end. Now working both sides at the same time, dec one st at each neck edge on every row following twice - 12(15, 18, 19, 23) sts rem for each shoulder. Continue in pattern until piece measures

for Vest - 22(22, 24, 24, 24) inches [56(56, 61, 61, 61) cm]

for Jacket - 26(26, 28, 28, 28) inches [66(66, 71, 71, 71) cm]

for Coat - 30(30, 32, 32, 32) inches [76(76, 81, 81, 81) cm]

from beg. Cast off each shoulder.

Right Front: Cast on 32(35, 38, 41, 45) sts and work in pattern as follows:

Row 1: (RS) P6(2, 5, 6, 2), *k3, p5; rep from * to last 2(1, 1, 3, 3) sts, k to end.

Row 2: Purl.

Repeat these 2 rows 5 times more.

Row 13: P2(0, 1, 2, 0), k3(1, 3, 3, 1), *p5, k3; rep from * to last 2(2, 2, 4, 4) sts, p to end.

Row 14: Purl.

Repeat the last 2 rows twice more.

**Now rep Rows 1 and 2 until piece measures

for Vest - 12(12, 13, 13, 13) inches [30.5(30.5, 33, 33, 33) cm]

for Jacket - 16(16, 17, 17, 17) inches [40.5(40.5, 43, 43, 43) cm]

for Coat - 20(20, 21, 21, 21) inches [51(51, 53.5, 53.5, 53.5) cm]

from beg, ending after a right side row.

To Shape Armhole: Place a marker at beg of next row (WS row). Keeping pattern correct, dec one st at beg of next row, then at armhole edge (at

marked edge) on every row following 5 times more - 26(29, 32, 35, 39) sts rem for shoulder.

Continue in pattern until piece measures

for Vest - 21(21, 23, 23, 23) inches [53(53, 58.5, 58.5, 58.5) cm]

for Jacket - 25(25, 27, 27, 27) inches [63.5(63.5, 68.5, 68.5, 68.5) cm]

for Coat - 29(29, 31, 31, 31) inches [74, 74, 79, 79, 79) cm]**

from beg, ending after a wrong side row.

*****To Shape Neck: Next Row:** Cast off 8(8, 8, 10, 10) sts at beg of row, work in pattern to end. Keeping pattern correct, dec one st at neck edge on every row following until 12(15, 18, 19, 23) sts rem for shoulder. Work even until piece measures same as Back to shoulder. Cast off. ***

Left Front: Cast on 32(35, 38, 41, 45) sts and work in pattern as follows:

Row 1: (RS) K2(1, 1, 3, 3), *p5, k3; rep from * to last 6(2, 5, 6, 2) sts, p to end.

Row 2: Purl.

Repeat these 2 rows 5 times more.

Row 13: P3(2, 2, 4, 4), *k3, p5; rep from * to last 5(1, 4, 5, 1) sts, k3(1, 3, 3, 1), p2(0, 1, 2, 0).

Row 14: Purl.

Repeat the last 2 rows twice more.

Now work as for Right Front from ** to **, but ending after a wrong side row to beg armhole shaping.

Now complete as for Right Front from *** to ***, but ending after a right side row to beg neck shaping.

Sew both shoulder seams.

Vest Version only

Neckband: (worked on Vest)

Using smaller needles and with right side facing, beg at right front neck edge, pick up and k 66(66, 66, 74, 74) sts evenly around neck shaping, ending at left front neck edge. Work in ribbing as follows:

Row 1: (WS) P2, *k2, p2; rep from * to end.

Row 2: K2, *p2, k2; rep from * to end.

Repeat these 2 rows until neckband measures 2 1/2 inches [6.5 cm]. Cast off loosely ribwise.

Fold neckband in half to inside and slip st loosely in place along pick up row. Sew ends of neckband closed.

Armbands: Using smaller needles and with right side facing, pick up and k 60(60, 60, 72, 72) sts evenly around armholes between markers. Work 4

rows of k2, p2 ribbing. Cast off ribwise.

To Complete: Sew side seams including armbands.

Faux Fur Trim: Measure each front edge, without stretching. Cut 2 pieces of fur to match. Fold piece in half lengthwise over front edge and sew in place.

Coat Version only

Sleeves: Using larger needles, cast on 37(37, 37, 45, 45) sts and work in pattern as follows:

Row 1: (RS) P5, *k3, p5; rep from * to end.

Row 2 and every alternate row: Purl.

Now continue in pattern as set AND AT THE SAME TIME, inc one st at each end of the next row, then every 4th row following 5(5, 5, 3, 3) times and then every 8th row following until there are 65(65, 65, 73, 73) sts on the needle, taking inc sts into pattern as they become available. Now work even in pattern until sleeve measures 19(19, 20, 20, 20) inches [48(48, 51, 51, 51) cm] from beg. Place a marker at each end of the last row.

To Shape Cap: Continue in pattern as set, dec one st at each end of every row following 6 times - 53(53, 53, 61, 61) sts rem. Cast off in pattern.

Cuffs: Using smaller needles and with right side facing, pick up and k 37(37, 37, 45, 45) sts evenly along cast on edge. Knit 4 rows. Cast off knitwise.

Front Bands: (worked on both fronts) Using smaller needles, with right side facing, pick up and k 110(110, 118, 118, 118) sts evenly along front edge. Work ribbing as follows:

Row 1: (WS) P2, *k2, p2; rep from * to end.

Row 2: K2, *p2, k2; rep from * to end.

Repeat these 2 rows twice more, then Row 1 once. Cast off ribwise.

Neckband: Using smaller needles and with right side facing, beg in center of right front band, pick up and k 66(66, 66, 74, 74) sts evenly around neck shaping, ending in center left front band. Work in ribbing as follows:

Row 1: (WS) P2, *k2, p2; rep from * to end.

Row 2: K2, *p2, k2; rep from * to end.

Repeat these 2 rows until neckband measures 2 inches [5 cm]. Cast off loosely ribwise.

Removable Hood:

Right Side: Using larger needles, cast on 48 sts and work in pattern as

follows:

Row 1: (RS, beg at front edge) *P5, k3; rep from * to end.

Row 2: Purl.

Repeat these 2 rows until piece measures 15 inches [38 cm] from beg.

Cast off in pattern.

Left Side: Using larger needles, cast on 48 sts and work in pattern as follows:

Row 1: (RS beg at back edge) *K3, p5; rep from * to end.

Row 2: Purl.

Repeat these 2 rows until piece measures 15 inches [38 cm] from beg.

Cast off in pattern.

Holding both pieces with wrong sides tog, beg at center back of hood, sew a back seam, then sew a top seam.

Faux Fur: Using fur, measure around front edge of hood. Cut piece to fit. Fold piece of fur in half lengthwise and fold over front edge of hood. Sew fur in place.

Sew buttons in place evenly around bottom edge of hood, having one at right front edge just behind edge of fur, one at left front edge just behind edge of fur, one in center of back seam and place rem 2, one either side evenly between.

When wearing hood, these buttons may be pushed through at the base of the collar thus attaching the hood.

To Complete: Fold sleeves in half lengthwise and pin a fold to each shoulder seam. Sew sleeves in place between markers. Sew side and sleeve seams.

Belt: Cast on 8 sts and work in Garter st - every row k, for 55 inches [140 cm] or to desired length. Cast off knitwise.

Jacket Version only

Sleeves: Using larger needles, cast on 37(37, 37, 45, 45) sts and work in pattern as follows:

Row 1: (RS) P5, *k3, p5; rep from * to end.

Row 2 and every alternate row: Purl.

Now continue in pattern as set AND AT THE SAME TIME, inc one st at each end of the next row, then every 4th row following 5(5, 5, 3, 3) times and then every 8th row following until there are 65(65, 65, 73, 73) sts on the needle, taking inc sts into pattern as they become available. Now work even in pattern until sleeve measures 19(19, 20, 20, 20) inches [48(48, 51, 51, 51) cm] from beg. Place a marker at each end of the last row.

To Shape Cap: Continue in pattern as set, dec one st at each end of every

row following 6 times - 53(53, 53, 61, 61) sts rem. Cast off in pattern.

Cuffs: Using smaller needles and with right side facing, pick up and k 37(37, 37, 45, 45) sts evenly along cast on edge. Knit 4 rows. Cast off knitwise.

Collar: Using smaller needles and with right side facing, beg at right front neck edge, pick up and k 66(66, 66, 74, 74) sts evenly around neck shaping, ending at left front neck edge. Work in ribbing as follows:

Row 1: (WS) K2, *p2, k2; rep from * to end.

Row 2: P2, *k2, p2; rep from * to end.

Repeat these 2 rows until collar measures 2 1/2 inches [6.5 cm], ending after a Row 1.

Next Row: (inc row) P2, *k1, inc one st in next st, p2; rep from * to end - 82(82, 82, 92, 92) sts.

Next Row: K2, *p3, k2; rep from * to end.

Next Row: P2, *k3, p2; rep from * to end.

Repeat these 2 rows until collar measures 5 1/2 inches [14 cm] from beg. Cast off loosely ribwise.

Fold collar in half to outside along inc row.

Buttonband: (worked on Left front) Using smaller needles, with right side facing, pick up and k 24 sts along front edge of collar, pick up and k 110(110, 118, 118, 118) sts evenly along front to bottom edge - 134(134, 142, 142, 142) sts. Work ribbing as follows:

Row 1: (WS) P2, *k2, p2; rep from * to end.

Row 2: K2, *p2, k2; rep from * to end.

Repeat these 2 rows twice more, then Row 1 once. Cast off ribwise.

Place markers for Buttons, having one 2 sts from bottom edge, one 2 sts below beg of collar and space 6 more evenly between, then place one marker on collar about 4 sts below inc row.

Buttonhole Band: (worked on opposite front) Work as for Buttonband until 3 rows of ribbing have been completed.

Next Row: Buttonhole Row: Rib as set, but make buttonholes opposite markers by yo, work 2tog.

Work 3 more rows of ribbing. Cast off ribwise.

To Complete: Fold sleeves in half lengthwise and pin a fold to each shoulder seam. Sew sleeves in place, easing to fit armholes. Sew side and sleeve seams. Sew on buttons to match buttonholes.

Faux Fur: Lay sweater on flat surface with all buttons buttoned. Arrange collar correctly. Take fur and using full width, measure around the top 3 inches [7.5 cm] of collar (above inc row) without stretching the collar. Cut

the fur allowing extra length at both ends for ease in sewing.
Sew fur in place (full width) along top section of collar, sewing along the bottom edge and the top edge of fur as well as each front edge.

Copyright by Mary Maxim.
